DISHWASHERS

Is it possible to reduce water consumption even more?

Yes, it is. Our dish-wsahers with Water Saver technology only consume 5,5 liters per wash.

Saver-System: innovations that make it possible to wash with just 5,5 litres of water or use up to 40% less energy

Water saver: The dish-washer that recycles water.
Fagor's dish-washing technology has gone a step forward towards environmental sustainability by developing a revolutionary technology that keeps the water from the final rinse of washing cycle to reuse it in the pre-wash phase of the next cycle, thus reducing significantly water consumption.

Thanks to the Water Saver technology, the **Fagor LVF32X, LVF27X and LVF27 dishwashers only use 5,5 litres of water per wash**, the lowest consumption in the market.

Water saver technology

Moreover, Fagor is **the only manufacturer that offers this feature in every program**. A significant difference compared to other brands that can only offer it in the economic programme (55º), recommended for light dirt or immediate washing.

The system is completely hygienic. The deposit is automatically rinsed every 15 cycles at 72ºC to keep it always clean and, moreover, the deposit empties automatically if the dish-washer is not used within 5 days.

This reduction in water consumption also brings significant energy savings. Did you know that 80% of the energy consumed by a dishwasher is used to heat water? Therefore, **low water consumption also means low energy consumption**.

Ecotermic range: Save up to 40% of energy
Fagor's *Ecotermic* dish-washer range **saves twice as much energy** as the average product in the market.

Connecting them to the hot water mains the resistor won't be activated if the electronic temperature sensor considers that it is not necessary and, thus, saving up to 40% in energy consumption. An innovation whose potential can be maximized in those households with a solar installation.

Eco Plus option.
Is the option to reduce the consumption of the Intensive and Cyclone programs

Eco Plus redefines the parameters of both programs, lowering the temperature and extending the duration. The result is a 30% lower energy consumption. Specially interesting if you program the dish-washer to run at night.

VarioScan technology: Just the right consumption.
Fagor´s VarioScan technology enables you to save up to 24% of energy in every wash. Our new dish-washer range has an improved and more precise to measure and control the load that adjusts even more the consumption of water and electricity.

A+++

A sensor located in the Hydraulic block lets the dishwasher detect the load and automatically adjust the use of resources. So, there is no need any more to wait to fill up the dish-washer to start the washing.

EffiSilent

The most efficient and silent dish-washers
The EffiSilent range brings together best washing efficiency and an extraordinary low noise level, thus contributing to maintaining a noise free and calm environment.

Our exclusive washing pump with auto-absorbing damping and a sophisticated insulation system enables us to manufacture dish-washers that you will almost not hear.

Interior equipment: capacity and convenience

2+2 baskets: 2 for cutlery, 2 for glassware and crockery

The best interior capacity and versatility: 14 place settings.

The 2+2 dishwashers incorporate two upper removable trays for cutlery that enlarges their capacity up to 14 place settings and multiplies the possibilities of placement of the dishes.

Interior versatility.

2 independent baskets. Placing the cutlery in the upper baskets, we can free space in the lower and intermediate baskets, where more dishes, kitchenware or glassware can be placed.

The cutlery baskets are removable individually to offer the greatest flexibility and capacity on the market. You can now wash large pots and tall glasses by removing one of the two cutlery trays and adjusting the height of the intermediate basket.

Impeccable cutlery cleaning.

The efficacy of the cutlery washing is improved thanks to a double spray arm located over it, the tidy layout of cutlery and the higher temperature of the tray area. Fagor achieves the best results on the market when washing cutlery and eliminating the most difficult dirt.

ESPACE basket

Maximum capacity.

The upper basket is **designed to hold 20% more glasses** than the average on the market. The pyramid-shaped design enlarges the surface the pieces rest on. Additionally, the folding supports enable the tableware to be placed more conveniently.

Development of details.

We have designed every detail to facilitate loading and unloading of the tableware. Designed ergonomically, all the movements will be comfortable and safe.

Anti-slip system. Quality details.

The non-slip material offers impeccable securing and stability for the most fragile tableware.

Lower basket.

Sliding cutlery container. Slides easily on a rail to locate it in the most convenient place for each wash. Each configuration, therefore, accepts plates, pots and pans, making the most of the space.

Cutlery holder divided into two.

Fagor's dividable cutlery holder increases the possibilities of interior distribution of the baskets, enabling both halves to be placed separately **Safe removal**.

This exclusive system by Fagor offers the safest removal of the basket on the market, thanks to its exit stop. Thus avoiding possible derailing of the lower tray when it is removed.

Folding basket and supports.

Can be adapted to wash large pots and pans, tall glasses, oven trays, etc. The height of the upper basket can be adjusted, even when loaded. And the supports can be easily folded down.

Programmes and functions

Wash Plus
We have created Wash Plus for those occasions when within a normal load there are some dirtier pieces. This option runs a 50 ºC pre-wash and adds a 30% higher pressure in the lower basket, thus reaching the best washing result: class A.
Wash Plus is an alternative to the Intensive program, reaching similar results but using less energy and washing more smoothly.

OPTIA 60 minutes.
An exclusive program by Fagor that offers the maximum washing and drying efficacy, AA rating, for a full load in just 60 minutes.

Hygienizer (70-75 ºC)
Our Hygienizer program washes at 70ºC and rinses at 75ºC, eliminating the microorganisms and bacteria and assuring the maximum hygiene.

This hygienizing capacity is most important in those households where there are people sensitive to those microorganisms.

Auto (50-65ºC)
Automatically optimizes water and energy consumption depending on the load and how dirty it is. Based on those paramethers it selects the right temperature, the number of water intakes needed and the duration of the program.

Aqualisis
A maintenance program, develop by Fagor, that guarantees the best performance and extends the lifespan of the dish-washer. You just have to run an empty wash using the usual detergent or any of the specific ones that help to eliminate residue deposits.

Fast 30 minutes (45ºC)
Get a full load of dishware ready in just 30 minutes with the best washing result and the lowest water and energy consumption.

Cyclone (70 ºC)
If the load is especially dirty and needs a higher washing intensity, this is the right program. Runs a pre-wash at 50ºC and adds 50% extra pressure at the lower spray arm to perform the most effective washing of the market.

Time reduction
This option shortens up to 50% the duration of any program, yet keeping the washing and drying effectiveness. It gets really helpful when there is the need to use the crockery again or if there is a second load to be washed.

New ergonomic design

Fagor has perfected the design of its dishwashers, simplifying lines and aiming for a balance between functionality and appearance. The inclination of the control panel follows ergonomic principles so that the user's position is more comfortable when operating the appliance.

Easily readable icons, LCD high-visibility screen and intuitive navigation provide ease and precision in the handling of this new dishwasher.

Fagor has chosen to place the **detergent compartment** in the top basket, to make it more convenient to load. This system, patented by Fagor, enables the tablet of detergent to dissolve better, thus offering the best results.

Built-In.

Facilitating installation.
The entire range of Fagor's installable dishwashers has been designed to be conveniently and ergonomically installed.

Perfect finish. Plinth without cuts.
With the installation accessory DVK01J you can fit a wooden door of up to 760 mm and a plinth of 90 mm that covers the lower part of the dishwasher integrating it perfectly into the kitchen decoration.

The DVK01J is exclusive for models ES40IT, ES38IT, ES36IT and ES34IT.

Opening adjustment.
This system enables you to adjust the resistance of the dishwasher door to the weight of the wooden panel, thus always guaranteeing smooth and gradual opening.

Double securing. The double securing avoid vibrations during the wash: To the worktop and kitchen furniture on the sides.

Rear feet adjustable from the front. Maximum ergonomics for the setting of the rear feet from the front of the appliance.

Free installation, 60 cm width

LVF32X
stainless steel with anti-fingerprint treatment
906010076
EAN-13: 8413880225616

- **Number of place settings:13**
- **Energy classification A++**
- **WaterSaver, washes with just 5,5 litres of water**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 5,5 litres
- Acoustic power 44 dB(A)
- Efficiency and silence: Effisilent
- AquaStop security
- 9 wash programmes
- LCD screen: duration, remaining time, deferred programming up to 24 hours
- Touch control
- Special programmes: Hygienizer, Cyclone, Automatic, Aqualisis, OptiA60 and Fast 30'
- Options: All-in-one detergent, Time reduction, Wash+ and Deferred programming up to 24 hours
- ESPACE basket
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

Water saver technology

Without worktop
820 x 600 x 600mm
With worktop
850 x 600 x 600mm

LVF27X
stainless steel with anti-fingerprint treatment
906010108
EAN-13: 8413880225623

LVF27
white
906010109
EAN-13: 8413880225630

- **Number of place settings:13**
- **Energy classification A+++**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 7,8 litres
- Acoustic power 45 dB(A)
- Efficiency and silence: Effisilent
- AquaStop security
- 9 wash programmes
- LCD screen: duration, remaining time, deferred programming up to 24 hours
- Touch control
- Special programmes: Hygienizer, Cyclone, Automatic, Aqualisis, OptiA60 and Fast 30'
- Options: All-in-one detergent, Time reduction, Wash+ and Deferred programming up to 24 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

Without worktop
820 x 600 x 600mm
With worktop
850 x 600 x 600mm

Free installation, 60 cm width

LVF24X
stainless steel with anti-fingerprint treatment
906010110
EAN-13: 8413880225647

LVF24
white
906010111
EAN-13: 8413880225654

- **Number of place settings:14**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 9,3 litres
- Acoustic power 46 dB(A)
- Efficiency and silence: Effisilent
- AquaStop security
- 7 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Intensive, Automatic, OptiA60 and Fast 30'
- Options: All-in-one detergent, Time reduction, Wash+ and Deferred programming up to 12 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

Without worktop
820 x 600 x 600mm
With worktop
850 x 600 x 600mm

LVF22X
stainless steel with anti-fingerprint treatment
906010112
EAN-13: 8413880225661

LVF22
white
906010114
EAN-13: 8413880225678

- **Number of place settings:13**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 10 litres
- Acoustic power 47 dB(A)
- Supersilence
- AquaStop security
- 7 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Automatic, OptiA60 and Fast 30'
- Options: All-in-one detergent, Time reduction, ECO+ and Deferred programming up to 12 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

Without worktop
820 x 600 x 600mm
With worktop
850 x 600 x 600mm

Free installation, 60 cm width

FDW200WE
white
906010043
EAN-13: 8413880206707

- **Number of place settings:13**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Time reduction**
- Water consumption per cycle: 10 litres
- Acoustic power 47 dB(A)
- Supersilence
- AquaStop security
- 6 wash programmes
- Display: remaining time, deferred programming up to 12 hours
- Special programmes: Hygienizer, Intensive and ECO+
- Options: All-in-one detergent, Time reduction, ECO+ and Deferred programming up to 12 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports
- Hot or cold water connection

A++

Without worktop
820 x 600 x 600 mm.
With worktop
850 x 600 x 600 mm.

FDW100LX
stainless steel with anti-fingerprint treatment
906010021
EAN-13: 8413880204079

FDW100W
white
906010022
EAN-13: 8413880204086

- **Number of place settings:13**
- **Energy classification A**
- **VarioScan technology: variable consumption according to load**
- **Time reduction**
- Water consumption per cycle: 12 litres
- Acoustic power 49 dB(A)
- 6 wash programmes
- Display: remaining time, deferred programming (3/6/9 hours)
- Special programmes: Hygienizer, Intensive and ECO+
- Options: All-in-one detergent, Time reduction, ECO+ and Deferred programming up to 12 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports
- Special programmes: Hygienizer and Intensive
- Options: All-in-one detergent, Time reduction and Deferred programming (3/6/9 hours)
- Hot or cold water connection

A

Without worktop
820 x 600 x 600 mm.
With worktop
850 x 600 x 600 mm.

Free installation, 45 cm width

2LF-458X
stainless steel with anti-fingerprint treatment
926010037
EAN-13: 8413880210711

2LF-458
white
926010036
EAN-13: 8413880210704

- **Number of place settings:9**
- **Energy classification A+**
- Water consumption per cycle: 9 litres
- Acoustic power 48 dB(A)
- Hot or cold water connection
- AquaStop security
- 7 wash programmes
- Display: Duration, remaining time, deferred programming up to 24 hours
- Special programmes: Glass and Fast
- Options: Deferred programming up to 24 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

A+

Without worktop:
820 x 450 x 540 mm.
With worktop:
850 x 450 x 580 mm.

2LF-454X
stainless steel with anti-fingerprint treatment
926010530
EAN-13: 8413880173931

2LF-454
white
926010521
EAN-13: 8413880173924

- **Number of place settings: 9**
- **Energy classification A+**
- Water consumption per cycle: 10 litres
- Acoustic power 52 dB(A)
- Hot or cold water connection
- 5 wash programmes
- LED indicators: Start and finish, salt, rinse aid and selected options
- Special programmes: Glass and Fast
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

A+

Without worktop:
820 x 450 x 540 mm.
With worktop:
850 x 450 x 580 mm.

Built-in 60 cm width

Details of the control panel

LVF78IT
906010119
EAN-13: 8413880226651

Built-in at height or under worktop

- **Number of place settings:13**
- **Energy classification A+**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 5,5 litres
- **Acoustic power 39 dB(A)**
- Efficiency and silence: Effisilent
- AquaStop security
- 8 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Cyclone, Aqualisis, OptiA60 and Fast 30'
- Options: All-in-one detergent and Deferred programming up to 24 hours
- ESPACE basket
- Hight adjustableupper basket with folding supports
- Lower basket with foldin supports

Details of the control panel

LVF77IT
906010121
EAN-13: 8413880226651

Built-in at height or under worktop

- **Number of place settings:13**
- **Energy classification A+**
- **VarioScan technology: variable consumption according to load**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 9,3 litres
- **Acoustic power 39 dB(A)**
- Efficiency and silence: Effisilent
- AquaStop security
- 7 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Intensive, OptiA60 and Fast 30'
- Options: All-in-one detergent and Deferred programming up to 12 hours
- Hight adjustable intermediate basket with folding supports
- Lower basket with foldin supports



Built-in 60 cm width

Details of the control panel.

Details of the control panel

LVF75IT
906010118
EAN-13: 8413880226644

Built-in at height or under worktop

- **Number of place settings:13**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 10 litres
- **Acoustic power 45 dB(A)**
- Efficiency and silence: Effisilent
- AquaStop security
- 8 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Aqualisis, OptiA60 and Fast 30'
- Options: All-in-one detergent and Deferred programming up to 12 hours
- Hight adjustable intermediate basket with folding supports
- Lower basket with foldin supports



LVF74IT
906010117
EAN-13: 8413880226637

Built-in at height or under worktop

- **Number of place settings:14**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Detergent compartment in the top basket**
- **Ecotermic: Save up to 40% of energy**
- Water consumption per cycle: 9,3 litres
- **Acoustic power 46 dB(A)**
- Efficiency and silence: Effisilent
- AquaStop security
- 7 wash programmes
- Display: duration, remaining time, deferred programming up to 12 hours
- Touch control
- Special programmes: Aqualisis, OptiA60 and Fast 30'
- Options: All-in-one detergent and Deferred programming up to 12 hours
- ESPACE basket
- 2+2 baskets: Lower basket, intermediate and 2 cutlery trays
- Hight adjustable intermediate basket with folding supports
- Lower basket with foldin supports



Built-in 60 cm width

Details of the control panel.

Details of the control panel.

LVF65IT
906010031
EAN-13: 8413880205670

Built-in at height or under worktop

- **Number of place settings:12**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- Water consumption per cycle: 10 litres
- **Acoustic power 47 dB(A)**
- Supersilence
- AquaStop security
- 6 wash programmes
- LED indicators: Start and stop, salt, rinse aid and selected options
- Special programmes: OptiA60 and Fast 30'
- Options: Duo Zone
- Hight adjustable intermediate basket with folding supports
- Lower basket with foldin supports

LVF63IT
906010032
EAN-13: 8413880205687

Built-in at height or under worktop

- **Number of place settings:12**
- **Energy classification A+**
- **VarioScan technology: variable consumption according to load**
- Water consumption per cycle: 10 litres
- **Acoustic power 49 dB(A)**
- Supersilence
- AquaStop security
- 6 wash programmes
- LED indicators: Start and stop, salt, rinse aid and selected options
- Special programmes: OptiA60 and Fast 30'
- Options: Half load
- Lower basket with foldin supports

A++



A+



IMPORTANT

The drain must be at a height of at least 250 mm from the base of the dishwasher.

Built-in 60 cm and 45 cm width

Details of the control panel.

LVF17IX
stainless steel with anti-fingerprint treatment
906010072
EAN-13: 8413880209890

Built-in at height or under worktop

- **Number of place settings:12**
- **Energy classification A++**
- **VarioScan technology: variable consumption according to load**
- **Time reduction function**
- Water consumption per cycle: 10 litres
- Acoustic power 46 dB(A)
- Supersilence
- AquaStop security
- 8 wash programmes
- Informatin on display: duration, remaining time, deferred programming up to 9 hours
- Special programmes: Hygienizer, Automatic, Express 15', OptiA60 and Fast 30'
- Options: All-in-one detergent, Duo Zone, Time reduction and Deferred programming up to 9 hours
- Hight adjustable upper basket with folding supports
- Lower basket with folding supports

1LF-451 IT
926010011
EAN-13: 8413880202402

- **Number of place settings:9**
- **Energy classification A+**
- **VarioScan technology: variable consumption according to load**
- Water consumption per cycle: 10 litres
- **Acoustic power 49 dB(A)**
- 5 wash programmes
- LED indicators: Start and stop, salt, rinse aid and selected options
- Special programmes: Fast
- Options: Deferred programming up to 9 hours
- Hight adjustable upper basket with folding supports
- Lower basket with foldin supports

A++



A+



Column installation and under worktop installation

Free installation 60 /45 cm

	FREE INSTALLATION							
	EFFISILENT 60 CM						45 CM	
	LVF32X	LVF27X LVF27	LVF24X LVF24	LVF22X LVF22	FDW200WE	FDW100LX FDW100W	2LF-458X 2LF-458	2LF-454X 2LF-454
PRODUCT FACTFILE								
Number Of Place Settings	13	13	14	13	13	13	9	9
Energy Efficiency Class	A++	A+++	A++	A++	A++	A	A+	A+
Total Annual Energy Consumption (Kwh)	262	237	262	262	262	327	222	222
Electricity Consumption (Kwh)	0,94	0,85	0,94	0,94	0,94	1,17	0,80	0,80
Consumption when off / Off-mode (W)	0,5	0,5	0,5	0,5	0,8		1,0	1,0
Stand-by consumption / Left-on-mode (W)	1,0	1,0	1,0	1,0	1,4		2,0	2,0
Water Consumption (L)	5,5	7,8	9,3	10	10	12	9	10
Total Annual Water Consumption (L)	1.540	2.190	2.590	2.790	2.790	3.420	2520	2.968
Drying Performance	A	A	A	A	A	A	A	A
Cleaning Performance	A	A	A	A	A	A	A	A
Total Cycle Time Of Reference Programme (Min)	205	205	205	180	180	160	160	160
Noise level (dB(A))	44	45	46	47	47	49	48	52
GENERAL FEATURES								
Variable Consumption	•	•	•	•	•	•		
Detergent compartment in the top basket	•	•	•	•				
Conexión Ecothermic	•	•	•	•				
Third Sprinkler	•	•	•	•				
Cvclone spray arm	•	•						
Electronic Regeneration	•	•	•	•	•	•		
PROGRAMMING								
Wash indicator	Interactive LCD	Interactive LCD	Touch Display	Touch Display	Display	Display	LED	LED
Total nº of wash programs	9	9	7	6	6	6	7	5
Number Of Different Wash Temperatures	6 + aut.	6 + aut.	6 + aut.	4 + aut.	6	6	4	3
Pre-Wash Programme	•	•	•	•	•	•	•	•
Normal Programme						•	•	
Intensive Programme		•	•	•	•	•	•	
Economical Programme	•	•					•	•
Delicate Wash Programme	•	•	•					
Automatic Progamme	•	•	•	•	•	•		
OptiA (60min)	•	•	•	•				
Hygienizer Programme	•	•			•	•		
Cyclone (70ºC)	•	•						
Aqualisis (70ºC)	•	•						
OPTIONS								
Time Reduction	•	•	•	•	•	•		
Eco +			•	•				Display
Wash Plus	•	•	•					
4-In-1	•	•	•	•	•	•		
Start Delay Options	1-24 hours	1-24 hours	1-12 hours	1-12 hours	1-12 hours	3,6,9 hours	1-24 hours	
OPERATION CONTROL								
Phases LED indicator							•	Antracite grey
Digital Countdown Indicator	Maxi display	Maxi display	Display	Display	Display		•	
Salt Light Indicator	Maxi display	Maxi display	Display	Display	Display	LED	Display	LED
Rinse Aid Light Indicator	Maxi display	Maxi display	Display	Display	Display	LED	Display	LED
In Operation Pilot						•	•	
End Of Cycle Indicator	with acoustic signal	with acoustic signal	Display	Display	Display	LED	with acoustic signal	with acoustic signal
On/Off	•	•	•	•	•	•	•	•
BASKETS								
Height-Adjustable Upper Basket	•	•	•	•	•		•	•
Upper ba:sket: Folding cup supports	4 top	4 top		6 top			4 top	
Upper basket: Glass supports	2 top	2 top						
ESPACE basket	•	•						
Lower basket with folding supports	•	•	•	•	•		•	•
Lower basket: Multi-position cutkery holder	•	•	•	•				
SAFETY								
Child safety	•	•	•	•				
Aqua Stop (1860 mm)	•	•	•	•	•		•	
Anti-Flooding	•	•	•	•	•	•	•	•
Aqua Control	•	•	•	•	•	•		•
Ant-Water Return	•	•	•	•	•	•		
Heating Safety	•	•	•	•	•	•	•	•
TECHNICAL SPECIFICATIONS								
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50/60	50/60
Connection Rating (W)	2.000-2.300	2.000-2.300	2.000-2.300	2.000-2.300	2.150	2.150	1.930	1.930
Current (A)	10	10	10	10	10	10	8,4	8,4
DIMENSIONS								
Adjustable Feet	Max. 20	Max. 20	Max. 20	Max. 20	Max. 20	Max. 20	Max. 25	Max. 25
Height Without Worktop (Mm)	820	820	820	820	820	820	820	820
Wide Without Worktop (Mm)	600	600	600	600	600	600	450	450
Deep Without Worktop (Mm)	600	600	600	600	600	600	540	540

(*) Scale A (More efficient) to G (Less efficient).
(**) Consumption measured according to EN-50242 standard. Actual consumption will depend on usage conditions of the specific appliance.

Built-in 60

	BUILT-IN						
	60 CM						
	LVF78IT	LVF77IT	LVF75IT	LVF74IT	LVF65IT	LVF63IT	LVF17IX
PRODUCT FACTFILE							
Number Of Place Settings	13	13	13	14	12	12	12
Energy Efficiency Class	A+	A+	A++	A++	A++	A+	A++
Total Annual Energy Consumption (Kwh)	264	295	264	262	256	283	256
Electricity Consumption (Kwh)	1,05	1,05	1,05	0,94	0,88	0,96	0,89
Consumption when off / Off-mode (W)	0,63	0,5	0,5	0,5	0,05	0,05	0,63
Stand-by consumption / Left-on-mode (W)	1,47	1	1	1	1,53	1,53	1,47
Water Consumption (L)	9	9,3	10	11	10	10	10
Total Annual Water Consumption (L)	2.520	2.590	2.790	2.990	2.800	2.800	2.800
Drying Performance	A	A+	A	A	A	A	A
Cleaning Performance	A	A+	A	A	A	A	A
Total Cycle Time Of Reference Programme (Min)	215	215	180	180	170	160	150
Noise level (dB(A))	39	39	45	46	47	49	46
GENERAL FEATURES							
Variable Consumption	•	•	•	•	Plus	•	Plus
Third Sprinkler	•	•	•	•			•
Third Sprayer			•			•	
Cvclone spray arm	•						
Electronic Regeneration	•	•	•	•	•	•	•
PROGRAMMING							
Wash indicator	Piloto LED	LCD	Display	Piloto LED			Display
Total nº of wash programs	8	7	8	7	6	6	8
Number Of Different Wash Temperatures	4 + aut.	4 + aut.	4 + aut.	5 + aut.	4	4	6
Pre-Wash Programme	•	•	•	•	•	•	•
Normal Programme	•	•	•		•	•	
Intensive Programme	•	•	•	•	•	•	•
Economical Programme	•	•	•	•	•	•	•
Delicate Wash Programme	•	•	•				
Automatic Progamme	•	•	•	•			•
OptiA (60min)	•	•	•	•	•	•	•
Hygienizer Programme					•		
Cyclone (70ºC)	•						
Aqualisis (70ºC)		•					
OPTIONS							
Time Reduction					•		
4-In-1	•	•	•	•			•
Duo Zone			•		•		
Start Delay Options	1-12 hours	1-12 hours	1-12 hours	1-12 hours			1-9 hours
OPERATION CONTROL							
Phases LED indicator					•		
Programme Selection indicator						LEDS	
Digital Countdown Indicator	Display	Display	Display				Display
Salt Light Indicator	LED	LED	LED	Display	Indicator	Indicator	Indicator
Rinse Aid Light Indicator	LED	LED	LED	Display	Indicator	Indicator	Indicator
In Operation Pilot					•		
End Of Cycle Indicator	with acoustic signal	with acoustic signal	with acoustic signal	•	with acoustic signal	with acoustic signal	•
On/Off	•	•	•	•	•	•	•
BASKETS							
Upper basket. Telescopic guide			•		•		
Height-Adjustable Upper Basket	•	•	•	•	•	•	•
Upper basket: Folding cup supports	6 top	6 top	6 top	4 top	4 top		4 top
Upper basket: Long cutlery supports			•		•		
Upper basket: Glass supports	2 superior	2 superior	2 superior	2 top	2 top		2 top
ESPACE basket	•	•					
Lower basket with folding supports	•	•	•	•	•	•	•
Lower basket: Double cutlery holder			•	•	•		
Lower basket: Multi-position cutkery holder	•	•	•	•			
SAFETY							
Child safety	•	•	•	•			
Aqua Stop (1860 mm)	•	•	•	•	•		•
Anti-Flooding	•	•	•	•	•	•	•
Aqua Control	•	•	•	•	•	•	•
Ant-Water Return	•	•	•	•	•	•	•
Heating Safety	•	•	•	•	•	•	•
TECHNICAL SPECIFICATIONS							
Voltage (V)	230	230	230	230	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50
Connection Rating (W)	2.150	2.150	2.150	2.150	2.170	2.170	2.170
Current (A)	10	10	10	10	10	10	10
DIMENSIONS							
Adjustable Feet	Max. 70	Max. 70	Max. 70	Max. 70	Max. 70	Max. 70	Max. 70
Height Without Worktop (Mm)	818	818	818	818	820	820	820
Wide Without Worktop (Mm)	596	596	596	596	595	595	595
Deep Without Worktop (Mm)	547	547	547	547	545	545	570
Back Adjustable Feet From Front	•	•	•	•	•	•	•

(*) Scale A (More efficient) to G (Less efficient).
(**) Consumption measured according to EN-50242 standard. Actual consumption will depend on usage conditions of the specific appliance.

Built-in 45 cm

	BUILT IN
	45 CM
	1LF-451IT
PRODUCT FACTFILE	
Number Of Place Settings	9
Energy Efficiency Class	A+
Total Annual Energy Consumption (Kwh)	222
Electricity Consumption (Kwh)	0.8
Consumption when off / Off-mode (W)	1
Stand-by consumption / Left-on-mode (W)	2
Water Consumption (L)	10
Total Annual Water Consumption (L)	2.968
Drying Performance	A
Cleaning Performance	A
Total Cycle Time Of Reference Programme (Min)	160
Noise level (dB(A))	49
GENERAL FEATURES	
Variable Consumption	•
Third Sprayer	•
Cvclone spray arm	•
PROGRAMMING	
Total n° of wash programs	5
Number Of Different Wash Temperatures	4
Normal Programme	•
Economical Programme	•
OPTIONS	
Start Delay Options	3,6,9 hours
OPERATION CONTROL	
Salt Light Indicator	LED
Rinse Aid Light Indicator	LED
End Of Cycle Indicator	with acoustic signal
On/Off	•
BASKETS	
Height-Adjustable Upper Basket	•
Upper basket: Folding cup supports	4 top
Upper basket: Long cutlery supports	•
Lower basket with folding supports	•
SAFETY	
Anti-Flooding	•
Aqua Control	•
Ant-Water Return	•
Heating Safety	•
TECHNICAL SPECIFICATIONS	
Voltage (V)	220-230
Frequency (Hz)	50
Connection Rating (W)	1.900
Current (A)	10
DIMENSIONS	
Adjustable Feet	Max. 20
Height Without Worktop (Mm)	818
Wide Without Worktop (Mm)	448
Deep Without Worktop (Mm)	545
Back Adjustable Feet From Front	•

(*) Scale A (More efficient) to G (Less efficient).
(**) Consumption measured according to EN-50242 standard. Actual consumption will depend on usage conditions of the specific appliance.

Accessories

	MODEL, COD. AND EAN	FEATURES
	**KIT OP L ITX** COD. 999010038 EAN-13: 8413880095653	With 6 supplementary 10 mm terminals (Max. adjustment in height: 60 mm.) For the following dishwashers: LVF73IT, LVF65IT, LVF63IT, 1LF-068IT and LFI-040IT
	**DVK01J** COD. 996990038 EAN. 8413880180687	Installation accessory for sliding door.This accessory enables you to fit a door of up to 760 mm and a 90 mm plinth Exclusive for ES40IT, ES38IT, ES36IT and ES34IT dishwasher models.